



Generated by **PARiConnect**

by Peter K. Isquith, PhD, Gerard A. Gioia, PhD, Steven C. Guy, PhD, and PAR Staff

Client name : Sample Client

Client ID : 789

Gender : Male

Age : 13

Test date : 05/01/2013

This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons.

**PAR** • 16204 N. Florida Ave. • Lutz, FL 33549 • 1.800.331.8378 • [www.parinc.com](http://www.parinc.com)

BRIEF-SR: Score Report Copyright © 2011 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR.

Version: 3.10.041

## Validity

Before examining the BRIEF-SR profile, it is essential to carefully consider the validity of the data provided. The inherent nature of rating scales brings potential bias to the scores. The first step is to examine the protocol for missing data. With a valid number of responses, the Inconsistency and Negativity scales of the BRIEF-SR provide additional validity indexes.

### Missing items

Sample Client completed 80 of a possible 80 BRIEF-SR items. There are no missing responses in the protocol, providing a complete data set for interpretation.

### Inconsistency

Scores on the Inconsistency scale indicate the extent to which Sample Client answered similar BRIEF-SR items in an inconsistent manner relative to the combined normative and clinical samples. For example, a high Inconsistency score might be associated with marking Never in response to the item "I have angry outbursts" while at the same time marking Often in response to the item "I have outbursts for little reason." Item pairs comprising the Inconsistency scale are shown in the summary table below. *T* scores are not generated for the Inconsistency scale. Instead, the raw difference scores for the 10 paired items are summed and the total difference score (i.e., the Inconsistency score) is used to classify the protocol as either "Acceptable" or as "Inconsistent." The Inconsistency score of 5 falls within the Acceptable range, suggesting that Sample Client was reasonably consistent in his responses.

Item 1	Content Item 1	Score 1	Item 2	Content Item 2	Score 2	Diff.
8	I have problems finishing long-term projects (such as papers, book reports)	3	26	<b>Remaining item content redacted for sample report</b>	3	0
14		1	32		2	1
20		2	77		3	1
23		1	41		1	0
38		3	72		3	0
46		3	79		3	0
55		2	67		1	1
56		2	68		2	0
58		1	65		3	2
63		3	73		3	0

## Negativity

The Negativity scale measures the extent to which the respondent answered selected BRIEF-SR items in an unusually negative manner relative to the clinical sample. Items comprising the Negativity scale are shown in the summary table below. A higher raw score on this scale indicates a greater degree of negativity, with less than 1% of respondents scoring above 5 in the clinical sample. As with the Inconsistency scale, T scores are not generated for this scale. The Negativity score of 4 falls within the acceptable range, suggesting that Sample Client's view of himself is not overly negative and that the BRIEF-SR protocol is likely to be valid.

Item	Content	Response
10	I get in other peoples' faces	Never
11	<b>Remaining item content redacted for sample report</b>	Often
17		Often
19		Sometimes
25		Sometimes
30		Often
32		Sometimes
43		Sometimes
45		Often
54		Sometimes

**End of Validity Section**

## BRIEF®-SR Score Summary Table

Index/Scale	Raw score	T score	Percentile	90% C.I.
Inhibit	28	62	87	56 - 68
Shift	26	77	≥ 99	70 - 84
Emotional Control	18	57	75	50 - 64
Monitor	10	58	78	50 - 66
Behavioral Regulation Index (BRI)	82	66	95	62 - 70
Working Memory	28	67	92	61 - 73
Plan/Organize	33	71	98	64 - 78
Organization of Materials	18	69	96	61 - 77
Task Completion	29	78	≥ 99	72 - 84
Metacognition Index (MI)	108	74	98	70 - 78
Global Executive Composite (GEC)	190	72	≥ 99	69 - 75


Subscale	Raw score	T score	Percentile	90% C.I.
Behavioral Shift	15	85	≥ 99	76 - 94
Cognitive Shift	11	62	90	53 - 71

Scale	Raw score	Cumulative percentile	Protocol classification
Negativity	4	≤ 98	Acceptable
Inconsistency	5	≤ 98	Acceptable

Note: Male, age-specific norms have been used to generate this profile.

For additional normative information, refer to the Appendix in the BRIEF®-SR Professional Manual.

## Profile of BRIEF®-SR T Scores



Note: Male, age-specific norms have been used to generate this profile.

For additional normative information, refer to the Appendix in the BRIEF®-SR Professional Manual.

## BRIEF®-SR Item Response Table

Item	Response	Item	Response	Item	Response	Item	Response
1	Often	21	Often	41	Never	61	Sometimes
2	Sometimes	22	Sometimes	42	Sometimes	62	Often
3	Sometimes	23	Never	43	Sometimes	63	Often
4	Sometimes	24	Sometimes	44	Often	64	Sometimes
5	Often	25	Sometimes	45	Often	65	Often
6	Often	26	Often	46	Often	66	Sometimes
7	Sometimes	27	Often	47	Often	67	Never
8	Often	28	Sometimes	48	Sometimes	68	Sometimes
9	Often	29	Sometimes	49	Often	69	Often
10	Never	30	Often	50	Sometimes	70	Sometimes
11	Often	31	Often	51	Often	71	Sometimes
12	Sometimes	32	Sometimes	52	Sometimes	72	Often
13	Sometimes	33	Often	53	Often	73	Often
14	Never	34	Sometimes	54	Sometimes	74	Often
15	Often	35	Often	55	Sometimes	75	Sometimes
16	Sometimes	36	Often	56	Sometimes	76	Sometimes
17	Often	37	Sometimes	57	Often	77	Often
18	Often	38	Often	58	Never	78	Often
19	Sometimes	39	Never	59	Sometimes	79	Often
20	Sometimes	40	Sometimes	60	Often	80	Sometimes

**\*\*\* End of Report \*\*\***