



Reynolds Adolescent Depression Scale, 2nd Edition

William M. Reynolds, PhD

Generated by **PARiConnect**

Score Report

Client name: Sample Client

Client ID: RADS

Age:: 13

Gender : Male

Grade: 7

Ethnicity/race: African American

School/agency: Grove School

Test date: 06/25/2013

Normative group: Total restandardization sample

This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons.

Validity of RADS-2 Results

It is important to carefully review the completed RADS-2 test protocol. In particular, attention should be paid to items left blank, as these may indicate deliberate attempts to avoid disclosing specific behaviors or symptoms. Unusual response patterns should be noted and the validity of the protocol should be questioned.

As a final check for invalid responding, responses to two pairs of items (1 and 7, and 9 and 12) should be examined. Because the items in each of these pairs are opposites but logically very similar, the same score at extreme ends of the scale for items within either of these pairs suggest an invalid protocol.

The examinee's responses to these two pairs of items suggest consistency in responding.

RADS-2 Score Summary Table


Scale/subscale	Raw score	T score	Percentile rank	Missing responses
Dysphoric Mood (<i>DM</i>)	23	61	87	0
Anhedonia/Negative Affect (<i>AN</i>)	19	65	92	0
Negative Self-Evaluation (<i>NS</i>)	22	66	92	0
Somatic Complaints (<i>SC</i>)	16*	49	50	1
Depression Total	80*	64	91	1

Note. "---" indicates a scale that is invalid due to an excessive number of missing item responses.

*Prorated score.

In some cases, individuals may not answer items that are particularly relevant or disturbing to them. It is especially helpful in these situations to examine the content of the specific items that the adolescent has left blank, as these may actually indicate potentially serious problems that warrant attention. In some cases, the examiner may wish to ask the adolescent to complete the omitted items or inquire further as to why item(s) were not answered.

Profile of RADS-2 T Scores



Note. "----" indicates a scale that is invalid due to an excessive number of missing item responses.

*Prorated score.

RADS-2 Critical Items

The following critical items received a clinically significant endorsement:

- 3. Loneliness
- 14. Self-injurious

RADS-2 Item Responses

Item	Response	Item	Response
1	Hardly ever	16	Sometimes
2	Sometimes	17	Most of the time
3	Most of the time	18	Sometimes
4	Almost never	19	Sometimes
5	Hardly ever	20	Sometimes
6	Hardly ever	21	Sometimes
7	Most of the time	22	Hardly ever
8	Sometimes	23	Hardly ever
9	Sometimes	24	---
10	Hardly ever	25	Hardly ever
11	Almost never	26	Almost never
12	Sometimes	27	Almost never
13	Hardly ever	28	Sometimes
14	Sometimes	29	Sometimes
15	Most of the time	30	Sometimes

Note. "---" indicates a missing response.

***** End of Report *****